

Provided By:



CONCRETE MASONRY RESIDENTIAL DETAILS

INTRODUCTION

Concrete masonry homes reflect the beauty and durability of concrete masonry materials. Masonry housing provides a high standard of structural strength, design versatility, energy efficiency, termite resistance, economy and aesthetic appeal.

A wide range of architectural styles can be created using both architectural concrete masonry units and conventional units. Architectural units are available with many finishes, ranging from the rough-hewn look of split-face to the polished appearance of groundface units, and can be produced in many colors and a variety of sizes. Concrete masonry can also be finished with brick, stucco or any number of other finish systems if desired. Concrete masonry's mass provides many consumer benefits. It has a high sound dampening ability, is energy efficient, fire and insect proof, durable and can easily be designed to resist hurricane-force winds and earthquakes.

WALLTYPES

Figures 1 through 3 illustrate a few of the construction options available for concrete masonry home construction, some of which are described in more detail below. Both top plate/anchor bolt and embedded strap anchor roof connections are shown and can be used interchangeably, along with several foundation types. See also 05-07A *Floor and Roof Connections to Concrete Masonry Walls* and 05-03A *Concrete Masonry Foundation Wall Details* (refs. 2, 3) for additional alternatives.




Figure 1—Stucco Exterior Finish




Figure 2—Exposed Concrete Masonry Exterior




Figure 3—Wood or Vinyl Siding Exterior Finish

Single wythe walls offer the economy of providing structure and an architectural facade in a single building element. They supply all of the attributes of concrete masonry construction with the thinnest possible wall section. To enhance the performance of this wall system, two areas in particular need careful consideration during design and construction—water penetration resistance and energy efficiency. Design for water resistance is discussed in detail in References 4 through 6. A full discussion of options for energy efficient concrete masonry walls is contained in *Insulating Concrete Masonry Walls* (ref. 7).

The use of exterior finish systems lends itself to exterior insulation. Figure 1 shows an exterior insulation system, including a water drainage plane and stucco. Stucco can also be applied directly to the exterior block surface and used in conjunction with integral or interior insulation. Note that local

codes may restrict the use of foam plastic insulation below grade in areas where the hazard of termite damage is high.

Figure 2 shows a residential wall section with exposed concrete masonry on the exterior and a furred-out and insulated interior. Concrete masonry can be exposed on the interior as well. In this case, integral insulation (placed in the masonry cores) can be used as required.

Figure 3 shows exterior siding with insulation installed between furring. Wood or vinyl siding, as shown, is typically attached using exterior wood furring strips which have been nailed to the masonry.

Cavity wall details are shown in TEK 05-01B, *Concrete Masonry Veneer Details* (ref. 8).

REFERENCES

1. *Annotated Design and Construction Details for Concrete Masonry*, CMU-MAN-001-03. Concrete Masonry & Hardscapes Association, 2003.
2. *Floor and Roof Connections to Concrete Masonry Walls*, 05-07A. Concrete Masonry & Hardscapes Association, 2001.
3. *Concrete Masonry Foundation Wall Details*, TEK 05-03A. Concrete Masonry & Hardscapes Association, 2003.
4. *Water Repellents for Concrete Masonry Walls*, TEK 19-01. Concrete Masonry & Hardscapes Association, 2002.
5. *Design for Dry Single-Wythe Concrete Masonry Walls*, TEK 19-02B. Concrete Masonry & Hardscapes Association, 2012.
6. *Flashing Details for Concrete Masonry Walls*, TEK 19-05A. Concrete Masonry & Hardscapes Association, 2000.
7. *Insulating Concrete Masonry Walls*, TEK 06-11A. Concrete Masonry & Hardscapes Association, 2010.
8. *Concrete Masonry Veneer Details*, TEK 05-01B. Concrete Masonry & Hardscapes Association, 2003.

ABOUT CMHA

The Concrete Masonry & Hardscapes Association (CMHA) represents a unification of the Interlocking Concrete Pavement Institute (ICPI) and National Concrete Masonry Association (NCMA). CMHA is a trade association representing US and Canadian producers and suppliers in the concrete masonry and hardscape industry, as well as contractors of interlocking concrete pavement and segmental retaining walls. CMHA is the authority for segmental concrete products and systems, which are the best value and preferred choice for resilient pavement, structures, and living spaces. CMHA is dedicated to the advancement of these building systems through research, promotion, education, and the development of manufacturing guides, design codes and resources, testing standards, and construction practices.

Disclaimer:

The content of this CMHA Tech Note is intended for use only as a guideline and is made available “as is.” It is not intended for use or reliance upon as an industry standard, certification or as a specification. CMHA and those companies disseminating the technical information contained in the Tech Note make no promises, representations or warranties of any kind, expressed or implied, as to the accuracy or completeness of content contained in the Tech Note and disclaim any liability for damages or injuries resulting from the use or reliance upon the content of Tech Note. Professional assistance should be sought with respect to the design, specifications, and construction of each project.